EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	90	kawasaki-tatsuya.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:32
L5	3092	714/718.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:41
L6	4099	365/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:41
L7	3524	365/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:41
L8	1859	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:42
L9	731	714/42.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:42
L10	288	714/54.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:42
L11	149	714/702.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:42
L12	1079	714/763.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 11:42

EAST Search History

S53	7	(external with (port$1 or terminal$1) with (TDI or (test with data)) with address with serial$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:54
S54	7	(external with (port$1 or terminal$1) with (TDI or (test$3 with data)) with address with serial$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:57
S55	2	(shar$3 with (port$1 or terminal$1) with (TDI or (test$3 with data)) with address with serial$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 15:00
S57	10	((port$1 or terminal$1) with (TDI or (test$3 with data)) with address with serial$2) same external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 15:32
S58	17	((port$1 or terminal$1 or pin$1) with (TDI or (test$3 with data)) with address with serial$2) same external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 15:32
S59	24	((port$1 or terminal$1 or pin$1) with (TDI or (test$3 with data)) with address$2 with serial$2) same external$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 15:34
S60	15	((port$1 or terminal$1 or pin$1) with (TDI or (test$3 with data)) with address$2 with serial$2) with external$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:12
S63	27	register$1 with select$3 with data with address with external with (terminal or port) with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:43
S66	0	((selection adj register) with (test adj pattern adj register) with (selection adj data) with (test adj pattern adj data)) same ((external adj terminal) with serial$2 with (selection adj data) with (test adj pattern adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 17:39

S69	0	((selection adj register) with (test adj pattern adj register) with (selection adj data) with (external adj terminal) with (address adj register) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 17:44

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S67	0	((selection adj register) with (test adj pattern adj register) with (selection adj data) with (test adj pattern adj data)) same ((external adj terminal) with serial$2 with (selection adj data) with (test adj pattern adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/12 17:40
S68	0	((selection adj register) with (test adj pattern adj register) with (selection adj data) with (external adj terminal) with (address adj register) with data)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/12 17:44